

TMV2 Access Integration Solution

Description

Altronix TMV2 door backplane for Trove2 and Trove3 enclosures lets you easily integrate Altronix sub-assemblies with Mercury or HID VertX® access controllers and accessories. TMV2 simplifies board layout and wire management, reducing installation time and labor costs.

TMV2 Door Backplane Features

Altronix

Accommodates the following:

- Altronix ACM4(CB), MOM5, PD4UL(CB), PD8UL(CB), PDS8(CB), VR6, GB1.

Mercury

Accommodates the following:

- Mercury EP1502, MR52, MR16IN, MR16OUT, EP2500, MUX8.
- Genetec Synergis Cloud Link using optional GB1 bracket.

HID VertX®

Accommodates the following:

- HID VertX® V100, V200, V300, V1000, V2000.
- Genetec Synergis Cloud Link using optional GB1 bracket.

Agency Listings

UL:

UL294 - Access Control System.

cUL:

CAN/ULC - s319-05 - Electronic Access Control Systems.

CE

European Conformity

Features

- Simplifies board layout and wire management
- 16 AWG galvanized steel.

Dimensions (H x W x D):

23.75" x 18.125" x 0.3125" (603.3mm x 460.3mm x 7.9mm).

Weights:

Product - 8.0 lbs. (3.63 kg).

Shipping - 9.0 lbs. (4.08 kg).



TMV2 shown with optional Mercury boards



TMV2 shown with optional HID VertX® boards







TMV2

Access Integration Solution

TMV2 - Mercury Configurations:



TMV2 - HID VertX® Configurations:





TMV2

Access Integration Solution

