

Trove1XX (Enclosure)

Access and Power Integration Solutions



Trove1XX enclosures accommodate a variety of Altronix backplanes which support access controllers and accessories from the industry's leading manufacturers, along with Altronix power distribution. These enclosures have no knockouts or venting holes for use in applications such as federal and military installations. Trove systems simplify board layout and wire management, reducing installation time and labor costs.



Trove1XX (backplane sold separately)

Specifications

Features

- 16 AWG powder coated steel.
- No knockouts or venting holes
- Includes cam lock, tamper switch and mounting hardware

Agency Listings

CE European Conformity

Capacity

- Accommodates up to two (2) 12VDC/7AH batteries

Physical and Environmental

Dimensions (H x W x D):

Enclosure:
18.0" x 14.5" x 4.625" (457.2mm x 368.3mm x 117.5mm)

Shipping:
21.75" x 18.25" x 5.75" (553mm x 464mm x 146mm)

Weight (approx.):

Product: 11.8 lb. (5.35 kg)
Shipping: 15.5 lb. (6.83 kg)

Accessories (order separately)



WM5

WM5, WM25, WM100 - Magnetic Cable Tie Mounts

Altronix WM5, WM25, and WM100 are packs of 5, 25 or 100 magnetic cable tie mounts respectively. They accommodate standard zip ties or velcro straps. These are ideal for wire management in our Trove series.



Mounting Magnet

MM4, MM8, MM12, MM24 - Magnetic Mounting Solution

Altronix mounting magnets accommodate screws and nylon standoffs to allow for mounting various boards/ accessories in any metal enclosure or backplane.

Optional Backplanes

Backplane Model	Manufacturer	Dimensions (H x W x D)
TBV1	Brivo	16.625" x 12.5" x 0.3125" (422.3mm x 317.5mm x 8mm)
TC1	CDVI	
	Openpath	
TDM1	DMP Wiegand	
TDR1	DIN Rail	
THC1	Hartmann	
TLU1	Kisi	
TM1	Mercury	
TPD1	PDK	
TSA1	Salto	
TSF1	Swiftlane	
TSP1	Suprema	
TV1	HID Vertx / HID Aero	

Dimensions and Drawing

Dimensions (H x W x D approximate)

18.0" x 14.5" x 4.625" (457.2mm x 368.3mm x 117.5mm)

